



## Safety Data Sheet

### LIQUID SODIUM SILICATE - SILICEOUS

Version 1.2

Revision Date: 11/08/2019

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name** : LIQUID SODIUM SILICATE - SILICEOUS

**Recommended use of the chemical and restrictions on use**

**Recommended use** : Adhesives  
Binder  
Production aid for use in the pulp & paper industry  
Manufacture of soaps and detergents.  
Catalyst.  
Soil erosion inhibitor  
Textile auxiliary  
Drilling applications  
Cements.  
Water treatment chemical

**Manufacturer or supplier's details**

**Company** : Univar Solutions USA, Inc.  
**Address** : 3075 Highland Pkwy Suite 200  
Downers Grove, IL 60515  
United States of America (USA)

**Emergency telephone number:**

Transport North America: CHEMTREC (1-800-424-9300)  
CHEMTREC INTERNATIONAL Tel # 703-527-3887

**Additional Information:** : Responsible Party: Product Compliance Department  
E-mail: SDSNA@univarsolutions.com  
SDS Requests: 1-855-429-2661  
Website: www.univarsolutions.com

#### SECTION 2. HAZARDS IDENTIFICATION

**GHS Classification**

Acute toxicity (Oral) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

**GHS label elements**

Hazard pictograms :



Signal word : Warning

**Hazard statements** : H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.

**Safety Data Sheet****LIQUID SODIUM SILICATE - SILICEOUS**

Version 1.2

Revision Date: 11/08/2019

**Precautionary statements****Prevention:**

P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS****Substance / Mixture**

Mixture

**Hazardous components**

CAS-No.	Chemical name	Weight percent
1344-09-8	Silicic acid, sodium salt	20 - 50

Actual concentration is withheld as a trade secret

Any Concentration shown as a range is due to batch variation.

**SECTION 4. FIRST AID MEASURES****General advice**

: Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

**If inhaled**

: If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.  
Move to fresh air.

**In case of skin contact**

: If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
Remove contaminated clothing and shoes.  
Wash contaminated clothing before reuse.

**In case of eye contact**

: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

**Safety Data Sheet****LIQUID SODIUM SILICATE - SILICEOUS**

Version 1.2

Revision Date: 11/08/2019

- Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.  
Do not induce vomiting without medical advice.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician or Poison Control Centre immediately.

---

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use an extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : No hazardous combustion products are known
- Further information : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Neutralise with acid.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

---

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.

**Safety Data Sheet****LIQUID SODIUM SILICATE - SILICEOUS**

Version 1.2

Revision Date: 11/08/2019

- Advice on safe handling : Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Personal protective equipment**

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Hand protection
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Safety Data Sheet****LIQUID SODIUM SILICATE - SILICEOUS**

Version 1.2

Revision Date: 11/08/2019

Appearance	: liquid
Colour	: colorless, opaque
Odour	: odorless, slight
Odour Threshold	: No data available
pH	: 11.0 - 11.4 @ 20 - 25 °C (68 - 77 °F)
Freezing Point (Freezing Point)	: -1 °C (30 °F)
Boiling Point (Boiling point/boiling range)	: 101 - 102 °C (214 - 216 °F)
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.20 - 1.61 @ 20 - 25 °C (68 - 77 °F) Reference substance: (water = 1)
Density	: 1.1989 - 1.6065 g/cm3 @ 20 - 25 °C (68 - 77 °F)
Solubility(ies) Water solubility	: completely soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity Viscosity, dynamic	: 20 - 1,500 mPa.s @ 20 - 25 °C (68 - 77 °F)

**SECTION 10. STABILITY AND REACTIVITY**

SDS Number: 100000052477

5 / 11 LIQUID SODIUM SILICATE - SILICEOUS

**Safety Data Sheet****LIQUID SODIUM SILICATE - SILICEOUS**

Version 1.2

Revision Date: 11/08/2019

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Reacts with acids Gives off hydrogen by reaction with metals.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources. Avoid electro-static discharge elevated temperatures over prolonged periods
Incompatible materials	: Ammonium salts Lead Strong acids Tin Zinc Aluminium Brass bronze Copper

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity****Product:**

Acute oral toxicity	: Acute toxicity estimate: 200 mg/kg Assessment: The component/mixture is moderately toxic after single ingestion.  Assessment: The component/mixture is moderately toxic after single ingestion.
---------------------	--

**Components:****1344-09-8:**

Acute oral toxicity	: Assessment: The component/mixture is toxic after single ingestion.
---------------------	--

**Skin corrosion/irritation****Product:**

Result: Irritating to skin.

**Components:****1344-09-8:**

Result: Causes burns.



## Safety Data Sheet

### LIQUID SODIUM SILICATE - SILICEOUS

Version 1.2

Revision Date: 11/08/2019

#### Serious eye damage/eye irritation

##### Product:

Result: Irritating to eyes.

#### Carcinogenicity

##### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

##### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

##### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### Further information

##### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

##### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available



## Safety Data Sheet

### LIQUID SODIUM SILICATE - SILICEOUS

Version 1.2

Revision Date: 11/08/2019

#### SECTION 13. DISPOSAL CONSIDERATIONS

##### Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.  
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-909-4897

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

#### SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation): Not regulated as a dangerous good

##### UNRTDG

Not regulated as a dangerous good

IATA (International Air Transport Association): Not regulated as a dangerous good

IMDG-Code: Not regulated as a dangerous good

#### SECTION 15. REGULATORY INFORMATION

##### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

##### Clean Air Act

SDS Number: 100000052477

8 / 11 LIQUID SODIUM SILICATE - SILICEOUS





## Safety Data Sheet

### LIQUID SODIUM SILICATE - SILICEOUS

Version 1.2

Revision Date: 11/08/2019

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. Clean Water Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

7732-18-5	Water
1344-09-8	Silicic acid, sodium salt

#### California Prop 65

: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

TSCA	: On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: not determined
NZIoC	: not determined
ENCS	: not determined
KECI	: not determined
PICCS	: not determined
IECSC	: not determined



## Safety Data Sheet


### LIQUID SODIUM SILICATE - SILICEOUS

Version 1.2

Revision Date: 11/08/2019

#### SECTION 16. OTHER INFORMATION

##### NFPA:



##### HMIS III:

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 11/08/2019

##### Material number:

16153024, 16153052, 16152938, 16152821, 16152820, 16159194, 16142700

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit

SDS Number: 100000052477

10 / 11 LIQUID SODIUM SILICATE - SILICEOUS

# Safety Data Sheet

## LIQUID SODIUM SILICATE - SILICEOUS

Version 1.2

Revision Date: 11/08/2019

EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		